

Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

The probability of drawing a 'white' ball from a bag containing 4 red, 8 black and 3 white balls is:

Answer (Please select your correct option)

☐

0

☐

$\frac{3}{15}$

correct answer solve
by hadi

☐

$\frac{1}{12}$

☐

$\frac{1}{2}$

Made By: Waqar Siddhu

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

If the probability of one event does not affected by the occurrence of another event then both events are:

☐ Dependent

☐ Not Mutually Exclusive

☐ Mutually Exclusive

☐ Independent

correct answer solve
by hadi

Made By: Waqar Siddhu

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

A die is rolled. What is the probability of getting a number that is an even number and greater than 2.

Answer (Please select your correct option)

☐ $1/2$

☐ $1/3$

☐ $2/3$

☐ $5/6$

correct answer solve
by hadi

Made By: Waqar Siddhu

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

The collection of all the elements under study is called:

Answer (Please select your correct option)

☐ Population

☐ Sample

correct answer solve
by hadi

☐ Data

☐ Registration

Made By: Waqar Siddhu

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

The mode value from raw data can be obtained by the help of

Answer (Please select your correct option)

☐ Dot plot

☐ Stem and leaf plot

☐ Bar chart

☐ None of these

Made By: Waqar Siddhu

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

A student solved 25 questions from first 50 questions of a book . The probability that he will solve the remaining all questions is:

Answer (Please select your correct option)

☐ 0.25

☐ 0.5

correct answer solve
by hadi

☐ 1

☐ 0

Made By: Waqar Siddhu

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

The difference between the largest and the smallest data values is called the

Answer (Please select your correct option)

☐ Variance

☐ Interquartile range

☐ Range

correct answer solve
by hadi

☐ Coefficient of variation

Made By: Waqar Siddhu

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one is the formula of mid- quartile range:

☐ $Q_3 - Q_1$

☐ $\frac{Q_3 - Q_1}{2}$

☐ $\frac{Q_1 - Q_3}{2}$

☐ $\frac{Q_1 + Q_3}{2}$

correct answer solve
by hadi

Made By: Waqar Siddhu

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

For the given data 2, 3, 7, 0, -8; G. M will be:

Answer (Please select your correct option)

☐ Negative

☐ Positive

☐ Zero

☐ Undefined

correct answer solve
by hadi

Made By: Waqar Siddhu

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

Mean deviation is least when it is calculated from _____.

Answer (Please select your correct option)

☐ Mean

☐ Mode

☐ Median

☐ Geometric mean

Made By: Waqar Siddhu

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

If X and Y are independent variables then $\text{Var}(X-Y) =$ _____

Answer (Please select your correct option)

☐

$\text{Var}(X) - \text{Var}(Y)$

correct answer solve
by hadi

☐

$\text{Var}(X) + \text{Var}(Y)$

☐

$\text{Var}(X+Y)$

☐

$\text{Var}(X) \times \text{Var}(Y)$

Made By: Waqar Siddhu

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

Rang measures the dispersion around the _____:

Answer (Please select your correct option)

☐ Extreme values

☐ Minimum value

☐ Maximum value

☐ Mid-range value

Made By: Waqar Siddhu

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

The variable plotted on the horizontal or X-axis in a scatter diagram is called the:

Answer (Please select your correct option)

☐ Scatter variable

correct answer solve
by hadi

☐ Independent variable

☐ Dependent variable

☐ Correlation variable

Made By: Waqar Siddhu

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

In a scatter diagram we plot:

Answer (Please select your correct option)

☐ X and Y

☐ X and \hat{Y}

☐ Y and \hat{Y}

☐ \hat{Y} and X

Made By: Waqar Siddhu

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

If $P(A \cap B) = P(A|B) \times P(B)$ then A and B will be:

Answer (Please select your correct option)

☐

Independent

correct answer solve
by hadi

☐

Mutually Exclusive

☐

Dependent

☐

Equally Likely

Made By: Waqar Siddhu

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is the class frequency?

Answer (Please select your correct option)

- ☐ The number of observations in each class
- ☐ The difference between consecutive lower class limits
- ☐ Always contains at least 5 observations
- ☐ Usually a multiple of the lower limit of the first class

correct answer solve
by hadi

Made By: Waqar Siddhu

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

How to convert a frequency distribution to a relative frequency distribution?

Answer (Please select your correct option)

☐ Find the difference between consecutive lower class limits

☐ Find the difference between consecutive lower limits

correct answer solve
by hadi...check it

☐ Count the number of observations in the class

☐ Divide the class frequency by the total number of observations

Made By: Waqar Siddhu

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

In statistics, we deal with:

Answer (Please select your correct option)

☐ Individuals

☐ Isolated items

☐ Aggregates of facts

☐ Qualitative data

correct answer solve
by hadi

Made By: Waqar Siddhu

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

Pie chart consists of

Answer (Please select your correct option)

☐ A rectangular

☐ A triangle

☐ A square

☐ A circle

correct answer solve
by hadi

Made By: Waqar Siddhu

Question No : 20 of 26

Marks: 1 (Budgeted Time 1 Min)

When $Q_1 = 2$ and $Q_3 = 4$, what is the value of Median, if the distribution is symmetrical:

Answer (Please select your correct option)

☐ 1

☐ 2

☐ 3

☐ 4

correct answer solve
by hadi

Made By: Waqar Siddhu

Question No : 21 of 26

Marks: 2 (Budgeted Time 4 Min)

Define complement of an event.

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for file operations, text formatting, and a 100% zoom level.

Made By: Waqar Siddhu

Question No : 22 of 26

Marks: 2 (Budgeted Time 4 Min)

State the addition law of probability for two not mutually exclusive events A and B.

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for undo, redo, bold, italic, underline, link, unlink, list, indent, outdent, and zoom (100%).

Made By: Waqar Siddhu

Question No : 23 of 26

Marks: 3 (Budgeted Time 6 Min)

Find the probability of drawing a white ball from a bag containing 4 red, 8 black and 3 white balls.

Answer ([Please click here to Add Answer](#))



Made By: Waqar Siddhu

Marks: 3 (Budgeted Time 6 Min)

Answer (Please [click here](#) to Add Answer)

Made By: Waqar Siddhu

Question No : 25 of 26

Marks: 5 (Budgeted Time 10 Min)

Let $S = \{1, 2, 3, 4, 5, \dots, 9\}$
Where,
 $A = \{1, 2\}$ and $B = \{3, 4, 5, 6\}$

Find
i. Compliment of A i.e. \bar{A}

Answer ([Please click here to Add Answer](#))



Made By: Waqar Siddhu

Question No : 26 of 26

Marks: 5 (Budgeted Time 10 Min)

Three horses A, B and C are in a race; A is twice as likely to win as B and B is twice as likely to win as C. Assume that events A, B and C are mutually exclusive. What is the probability that A or B wins?

Answer ([Please click here to Add Answer](#))



Made By: Waqar Siddhu

Question No : 25 of 26

Marks: 5 (Budgeted Time 10 Min)

Find

- i. Compliment of A i.e. \bar{A}
- ii. Compliment of B i.e. \bar{B}
- iii. Power set of A

Answer ([Please click here to Add Answer](#))



Made By: Waqar Siddhu